

TRUSTEST SMOKE DETECTOR SENSITIVITY TESTER


**SAFETY DATA SHEET**

SDS0065US  
 ACCORDING TO US CFR 1910.1200

**1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

<b>1.1 Product identifier</b>	Product Name	TRUSTEST SMOKE DETECTOR SENSITIVITY TESTER.
	Trade Name	AERO 400-XXX (XXX denotes customer variant).
	CAS No.	Mixture.
	EINECS No.	Mixture.
<b>1.2 Recommended use of the chemical and restrictions on use</b>	Identified Use(s)	Smoke simulation (for detector sensitivity tester).
	Uses Advised Against	None known.
<b>1.3 Details of the supplier of the safety data sheet</b>		
<b>1.3.1 Distributor</b>	Company Identification	SDi 1345 Campus Parkway, Suite A18 Wall Township, NJ 07753 6815
	Telephone	(732) 751 9266
	Fax	(732) 751 9241
	E-mail	sales@sdfire.com
<b>1.4 Emergency telephone number</b>	Info Trac	1-800-535-5053

**2. SECTION 2: HAZARDS IDENTIFICATION**

<b>2.1 Classification of the substance or mixture</b>	US CFR 1910.1200	Gases under pressure: Liquefied gas; Contains gas under pressure; may explode if heated. Aquatic Chronic 3; Harmful to aquatic life with long lasting effects.
<b>2.2 Label elements</b>	Product Name	TRUSTEST SMOKE DETECTOR SENSITIVITY TESTER.
	Hazard Pictogram(s)	
	Signal Word(s)	Warning.
	Hazard Statement(s)	H280: Contains gas under pressure; may explode if heated. H412: Harmful to aquatic life with long lasting effects.

## TRUSTEST SMOKE DETECTOR SENSITIVITY TESTER

Precautionary Statement(s)	P273: Avoid release to the environment. P410+P403: Protect from sunlight. Store in a well-ventilated place.
Additional Information	18.75 % by mass of the contents are flammable. Do not pierce or burn, even after use. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 122°F. Keep out of the reach of children. Keep away from combustible material. Keep away from sources of ignition - No smoking.
<b>2.3 Other hazards</b>	High concentrations: May cause drowsiness and dizziness.
<b>2.4 Additional Information</b>	None.

### 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product as supplied: Aerosol.

#### 3.1 Mixtures

Hazardous Ingredient(s)	CAS No.	%W/W
1,1,1,2-tetrafluoroethane	811-97-2	50 - 100
Pentane	109-66-0	1 - 10
Propan-2-ol	67-63-0	1 - 10

#### 3.2 Additional Information

None.

### 4. SECTION 4: FIRST AID MEASURES



<b>4.1 Description of first aid measures</b>	
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, obtain medical attention.
Skin Contact	Wash with plenty of soap and water.
Eye Contact	Flush eyes with water for at least 15 minutes while holding eyelids open.
Ingestion	Unlikely route of exposure.
<b>4.2 Most important symptoms and effects, both acute and delayed</b>	None anticipated.
<b>4.3 Indication of any immediate medical attention and special treatment needed</b>	Unlikely to be required but if necessary treat symptomatically.

## TRUSTEST SMOKE DETECTOR SENSITIVITY TESTER

### 5. SECTION 5: FIRE-FIGHTING MEASURES

Pressurized container: May burst if heated.

- |  |  |  |
|--|--|--|
| <b>5.1 Extinguishing Media</b>                                   | Suitable Extinguishing Media<br>Unsuitable Extinguishing Media | Extinguish preferably with dry chemical or alcohol foam.<br>None known.  |
| <b>5.2 Special hazards arising from the substance or mixture</b> |  | Decomposes in a fire giving off toxic fumes: Hydrofluoric acid, Fluorinated compounds. Heating may cause pressure rise with risk of bursting.  |
| <b>5.3 Advice for fire-fighters</b>                              |  | Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions. |

### 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

The product is an aerosol. It is unlikely to present spillage or leakage hazard.

- |  |  |
|--|--|
| <b>6.1 Personal precautions, protective equipment and emergency procedures</b> | Ensure adequate ventilation. Avoid inhalation of high concentrations of vapours.   |
| <b>6.2 Environmental precautions</b>   | Avoid release to the environment.  |
| <b>6.3 Methods and material for containment and cleaning up</b>                | Collect mechanically and dispose of according to Section 13. Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a lidded container for disposal or recovery. Containers must not be punctured or destroyed by burning, even when empty. |
| <b>6.4 Reference to other sections</b>   | See Also Section: 8, 13.   |

### 7. SECTION 7: HANDLING AND STORAGE

- |   |   |
|---|---|
| <b>7.1 Precautions for safe handling</b>                                | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Provide adequate ventilation. Avoid inhalation of high concentrations of vapours. |
| <b>7.2 Conditions for safe storage, including any incompatibilities</b> | Observe official regulations on storing packagings with pressurized containers.   |
| Storage temperature   | Protect from sunlight and do not expose to temperatures exceeding 122 °F.   |
| Storage life  | Stable under normal conditions.   |
| Incompatible materials  | Alkali metals, alkaline earth metals, magnesium, powdered metals.   |

## TRUSTEST SMOKE DETECTOR SENSITIVITY TESTER

### 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

##### 8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note:
1,1,1,2-tetrafluoroethane	811-97-2	-	-	-	-	Not established
Pentane	109-66-0	120	350	610	1800	NIOSH
		1000	2950	-	-	PEL (OSHA)
Propan-2-ol	67-63-0	400	980	500	1225	NIOSH
		400	980	-	-	PEL (OSHA)

Source:

NIOSH = National Institute of Occupational Safety & Health

OSHA = Occupational Safety and Health Administration

#### 8.2 Appropriate engineering controls

Provide adequate ventilation.

#### 8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Not normally required.



Skin protection (Hand protection/ Other)

Not normally required.



Respiratory protection

No personal respiratory protective equipment normally required. Handling of larger amounts: In case of insufficient ventilation, wear suitable respiratory equipment. A suitable mask with filter type A (EN14387 or EN405) may be appropriate.



Thermal hazards

Not applicable.

### 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Appearance

Aerosol.

Color

Colorless.

Odor

Slight hydrocarbon smell.

Odor Threshold

Not determined.

pH

Not determined.

Melting Point/Freezing Point

Not determined.

Initial boiling point and boiling range

-15.7°F (-26.5 °C)

Flash Point

Not applicable.

Evaporation Rate

Not applicable.

Flammability (solid, gas)

Non-flammable.

Upper/lower flammability or explosive limits

Not determined.



## TRUSTEST SMOKE DETECTOR SENSITIVITY TESTER

Vapor pressure	81.22 psig (5.6 bar) @ 77°F
Density	66.8 lb/ft <sup>3</sup> @ 77°F
Vapor density	3.5
Relative density	Not determined.
Solubility(ies)	Slightly soluble in: Water. Soluble in most organic solvents.
Partition coefficient: n-octanol/water	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Kinematic Viscosity	Not determined.
Explosive properties	Contains gas under pressure; may explode if heated.
Oxidizing properties	Not oxidizing.
<b>9.2 Other information</b>	None.

### 10. SECTION 10: STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under normal conditions.
<b>10.3 Possibility of hazardous reactions</b>	None known.
<b>10.4 Conditions to avoid</b>	Heat and direct sunlight.
<b>10.5 Incompatible materials</b>	Alkali metals, alkaline earth metals, magnesium, powdered metals.
<b>10.6 Hazardous decomposition product(s)</b>	None known.

### 11. SECTION 11: TOXICOLOGICAL INFORMATION

<b>11.1 Information on toxicological effects</b>	
<b>Mixtures</b>	
<b>Acute toxicity</b>	Low acute toxicity. High concentrations: May cause drowsiness and dizziness.
<b>Irritation</b>	Non-irritant.
<b>Corrosivity</b>	Not classified.
<b>Sensitization</b>	It is not a skin sensitiser.
<b>Repeated dose toxicity</b>	None anticipated.
<b>Carcinogenicity</b>	No evidence of carcinogenicity.
<b>Mutagenicity</b>	There is no evidence of mutagenic potential.
<b>Toxicity for reproduction</b>	None anticipated.
<b>11.2 Other information</b>	None.

### 12. SECTION 12: ECOLOGICAL INFORMATION



<b>12.1 Toxicity</b>	Aquatic Chronic 3; Harmful to aquatic life with long lasting effects.
<b>12.2 Persistence and degradability</b>	No information available.
<b>12.3 Bioaccumulative potential</b>	No information available.
<b>12.4 Mobility in soil</b>	Slightly soluble in: Water. The product is predicted to have low mobility in soil.
<b>12.5 Other adverse effects</b>	None.

## TRUSTEST SMOKE DETECTOR SENSITIVITY TESTER

### 13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1	<b>Waste treatment methods</b>	Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Non-emptied aerosol: Dispose of wastes in an approved waste disposal facility. Do NOT landfill.
13.2	<b>Additional Information</b>	Disposal should be in accordance with local, state or national legislation. Do not allow to enter drains, sewers or watercourses.


### 14. SECTION 14: TRANSPORT INFORMATION

14.1	<b>UN number</b> ADR, IMDG, IATA	UN 1950
14.2	<b>UN Proper Shipping Name</b> ADR IMDG IATA	1950 AEROSOLS AEROSOLS AEROSOLS, Non-flammable
14.3	<b>Transport hazard class(es)</b> ADR Class / Classification Label IMDG, IATA Class / Division Label	2 5A Gases 2.2 2.2 2.2
14.4	<b>Packing Group</b> ADR, IMDG, IATA	None.
14.5	<b>Environmental hazards</b> Marine Pollutant	No.
14.6	<b>Special precautions for user</b> Kemler Code IMDG EMS	Warning: Gases. - F-D, S-U
14.7	<b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
14.8	<b>Additional Information</b> ADR Limited Quantity (LQ)	1 L 
	<b>ADR Transport Category</b> <b>Tunnel Restriction Code</b>	3 Not applicable in Limited Quantities.
	<b>IMDG</b> <b>Limited Quantity (LQ)</b>	1L 

## TRUSTEST SMOKE DETECTOR SENSITIVITY TESTER

IATA  
Limited Quantity (LQ)

1L



UN Model Regulation  
US

UN 1950, AEROSOLS, 2.2  
ORM-D when transported in limited quantities (< 30kg or  
66lb gross weight).

### 15. SECTION 15: REGULATORY INFORMATION

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.1.1 OSHA**

Toxic and hazardous substances (29 CFR 1910; Subpart Z)  
National emission standards for hazardous air pollutants (40 CFR 61.01)

All chemicals are not listed.

All chemicals are not listed.

**15.1.2 Title III Consolidated List of Lists**

Propan-2-ol (CAS No.: 67-63-0)  
Pentane (CAS No.: 109-66-0)

Sec 313: 313  
CAA 112(r) TQ: 10000

**15.1.3 OSPAR List of Chemicals for Priority Action**

All chemicals are not listed.

**15.1.4 State Right to Know Lists**

1,1,1,2-tetrafluoroethane (CAS No.: 811-97-2):  
New Jersey, Pennsylvania, Massachusetts, Rhode Island.

Propan-2-ol (CAS No.: 67-63-0)  
New Jersey, Pennsylvania, Massachusetts, California, Minnesota.

Pentane (CAS No.: 109-66-0): New Jersey, Pennsylvania, Massachusetts, California, Minnesota.

**15.1.5 TSCA (Toxic Substance Control Act)**

All chemicals listed..

**15.1.6 Proposition 65 (California)**

All chemicals are not listed.

**15.1.7 CAA 602 - Ozone Depleting Substances (ODS)**

All chemicals are not listed.

### 16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

NFPA		HMIS	
Health	0	Health	0
Fire	0	Flammability	0
Instability	1	Physical hazards	1



## TRUSTEST SMOKE DETECTOR SENSITIVITY TESTER

### LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG	International Maritime Code for Dangerous Goods
IATA	International Air Transport Association
OSHA	Occupational Safety and Health Administration
OSPAR	Oslo and Paris Convention
CAA	Clean Air Act
NFPA	National Fire Protection Association
HMIS	Hazardous Material Identification System

### Disclaimers

The information is based on the best knowledge of SDI and its advisors and is given in good faith, but we cannot guarantee its accuracy, reliability or completeness and therefore disclaim any liability for loss or damage arising out of use of this data. Since conditions of use are outside the control of the Company and its advisors we disclaim any liability for loss or damage when the product is used for purposes other than it is intended.